



Integra Mini

- 300 Ws & 600 Ws
- 6 f-stops power range
- Short recycling times (300 Ws 0,25-1,3s/600 Ws 0,2-1,7s)
- Bright model light (300W)
- Active cooling
- Glass cover included
- Bi-voltage
- EH reflector quick-change system
- Sturdy & solid metal housing
- Made in Germany

Highlights

- · The most affordable monolight that is created & crafted in Germany.
- Wide assortment of light shaping tools.
- Meets European safety regulations (no "Chinese Firework").
- Reliable and durable.

- Amateurs
- Students
- Job Entrants





Integra Plus

- 250 Ws, 500 Ws & 1000 Ws
- 6 f-stops power range
- Fast recycling times (250 Ws 0,3-1,3s/500 Ws 0,5-1,9s/1000 Ws 0,45-2,1s)
- Short flash durations (250 Ws 1/2400-1/1000s, 500 Ws 1/1400-1/700s, 1000 Ws 1/1700-1/700s)
- Integrated Strobe Wizard radio sync, remote control & Freemask
- Bright model light (300W)
- Active cooling
- Glass cover included
- Bi-voltage
- EH reflector quick-change system
- Sturdy & solid metal housing

Highlights

- Proved & tested workhorses.
- Radio sync & radio remote.
- · Freemask integrated for easy and fast cut-outs.
- · Wide assortment of light shaping tools.

- Semi-professionals
- · Portrait & packshot photographers
- Institutes & authorities





Expert D

- 500 Ws & 1000 Ws
- 8 f-stops power range
- Very fast recycling times (500 Ws 0,11-0,5s/1000 Ws 0,14-1,0s)
- Ultra short flash durations (500 Ws 1/5600-1/2200s, 1000 Ws 1/3300-1/1200s)
- Integrated Strobe Wizard & Air radio sync, remote control & Freemask
- Bright model light (300W)
- High color & power stability from flash to flash
- Glass cover included
- Multi-voltage
- EH reflector quick-change system
- Sturdy & solid metal housing with removable handle

Highlights

- True high end very advanced monolights.
- · Fast recycling & short flash durations.
- Three integrated radio systems.
- Wide assortment of light shaping tools.

- · Demanding portrait photographers.
- People & Fashion photographers.
- Smaller still-life studios





Speedmax

- 400 Ws (Rated)
- 8 f-stops power range
- Ultra fast recycling times (0,03-0.8s)
- Extremely short flash durations (1/2000-1/66.600s)
- Integrated Strobe Wizard radio sync & remote control plus Freemask
- Bright model light (300W)
- Special functions like flash sequence and direct display of flash duration
- Glass cover included
- Multi-voltage
- EH reflector quick-change system
- Robust metal housing (built like a tank)

Highlights

- · Fastest monolight on earth.
- t 0,5 ≈ t 0,1 (flash cutting).
- · Very efficient (high light output).
- Wide assortment of light shaping tools.

- Fashion & Sport photographers (stop motion)
- Still life photographers (freeze liquids)
- All dynamic shootings





Power Max L

- Mobile power source for Hensel monolights
- Quick-exchangeable Li battery
- Up to 220 flashes with 1000 Ws, 440 with 500 Ws, 880 with 250 Ws etc.
- For max. 2 Integra Mini or Plus, 2 Expert D or 1 Speedmax unit
- Maximum 2000 Ws or 500 W
- Advanced safety functions
- Integrated battery capacity & power draw indicators
- Empty battery recharged in 2 h
- Comparatively small & lightweight (4,6 kg with battery!)

Highlights

- · Designed and optimized for current Hensel monolights.
- Small but efficient Li battery.
- · Powers many other devices like LED lights, wind machines, monitors etc.
- · Safe & reliable made to perform.

- Portrait & Wedding photographers
- · People & Fashion photographers
- · Power for many electric devices that are used on location





Nova D & DL

- 1200 Ws & 2400 Ws
- 2 round (D) or long sockets (DL)
- Symmetric (50:50%) or asymmetric (75:25%/50:25%) energy distribution
- 8 f-stops power range
- Fast recycling times (1200 Ws 0,3-0,6s/2400 Ws 0,35-1,1s)
- Short flash durations (up to 1/4700s with Speed Head)
- Integrated Strobe Wizard & Air radio sync, remote control & Freemask
- Bright model light (2x 650 W @ 230V)
- Multi-voltage
- Comparatively small & lightweight

Highlights

- · Handy & easy to use.
- Small & compact flash heads (EH Mini).
- EH Mini heads "communicate" with Nova packs for improved stability and safety.
- Wide assortment of light shaping tools and special heads (Ringflash, Sticklight etc.).

- · People & Fashion photographers
- Packshot & Still Life photographers







Tria

- 1500 Ws, 2400 Ws, 3000 Ws & 6000 Ws
- 2 (Tria 24), 3 (Tria 1500, 3000 & 6000) or 4 (Tria 3000AS) long sockets
- Symmetric (Tria 24, 1500, 3000 & 6000) or asymmetric (Tria 3000AS) energy distribution
- 6 f-stops power range
- Very stable color temperature and light output
- Integrated Strobe Wizard radio sync, remote control & Freemask (Tria 24SF)
- Computer remote control option (Tria 1500, 3000 & 6000)
- Bright model light (up to 4 x 650 W @ 230V)
- Comparatively small & lightweight

Highlights

- Solid tools for heavy duty use.
- 4 flash sockets (Tria 3000AS).
- Short flash duration at all power levels (Tria 1500 Speed).
- Wide assortment of light shaping tools and special heads (Spots, Striplight etc.).

- Packshot & Still Life photographers
- Technical & industrial applications







Porty L

- 600 Ws & 1200 Ws
- 2 round sockets
- Symmetric and asymmetric (75:25, 50:50, 50:25%) energy distribution
- 7 f-stops power range
- Fast recycling times (L 600: 0,15-1,0s, L 1200: 0,2-2,0s)
- Short flash durations (L 600: 1/3200-1/8100s, L 1200 1/1800-1/5200s)
- Quick-exchangeable Li battery for up to 220 flashes @ 1200 Ws
- Optional mains operation (AC Adapter)
- Integrated Strobe Wizard & Air radio sync, remote control plus Freemask
- Smallest and lightest top-class battery flash generator (L 1200; 5.9 kg incl. battery)

Highlights

- Small but efficient Li battery.
- Real mains operation and up to 2x 650W model light with optional AC adapter.
- · Bright and efficient LED model light with EH Mini P LED head.
- Wide assortment of light shaping tools and special heads (Ringflash, Sticklight etc.).

- People & Fashion photographers
- Sports & Editorial photographers







C-Light & C-Light D

- Up to 1000W halogen (C-Light) or 150W metal halide (C-Light D) lamps
- Tungsten (C-Light) or daylight (C-Light D) color temperature
- Accept most EH light shaping tools
- Durable bulb with up to 6000 h lifetime (C-Light D)
- Efficient metal halide lamp light output similar to a 650W halogen bulb (C-Light D)
- Silent operation with "Noise Blocker" fan (C-Light D)
- Switchable fan (C-Light)
- No separate ballast needed
- Compact and lightweight

Highlights

- · Easy to use and safe operation.
- · Affordable continuous light sources for photographers.
- Same light setting possibilities like Hensel monolights and flash heads.
- Wide assortment of EH light shaping tools.

- Amateurs & Professionals
- Dedicated to DSLR-Videography

